<u>UW Medicine SARS-CoV-2 (COVID-19) Testing Criteria for Patients</u> (for frontline staff, see separate Frontline Staff document)

Clinical Features	High Risk Factors	SARS-CoV-2 Testing?
Asymptomatic		No
Any of the following symptoms • Fever (T ≥ 101° F or 38.3° C) • New cough • New shortness of breath And does NOT require hospitalization *Consider testing SPECIAL POPULATIONS listed below	None	No
Any of the following symptoms • Fever (T ≥ 101° F or 38.3° C) • New cough • New shortness of breath	 Any of the following in the last 14 days before symptom onset: Travel to affected areas¹ Close contact with a confirmed COVID-19 case² Has spent time at Life Care Center in Kirkland 	Yes ³
Lower respiratory tract infection requiring hospitalization		Yes ³

¹ UW Medicine Current Outbreak List: Please refer to the <u>UW Medicine Website</u>.

² Close contact: Approximately 6 feet of a COVID-19 case for a prolonged period of time; close contact can occur while caring for, living with, visiting, or sharing a healthcare waiting area or room with a COVID-19 case or having direct contact with infectious secretions of a COVID-19 case (e.g., being coughed on)

³ SARS-CoV-2 sample collection: Nasopharyngeal swabs often generate a strong cough reflex. Standard/Contact/Droplet precautions are recommended. For additional instructions, please refer to the <u>UW Laboratory</u> <u>Test Guide</u>

***Special Populations:** SCCA, solid organ transplant, on other immunosuppressive therapy, pregnancy, people living with immunocompromised patients, people living homeless and in congregant facilities (e.g., shelters, jail, SNF, prison, adult family home)